

BARNES & THORNBURG LLP

11 South Meridian Street
Indianapolis, Indiana 46204
(317) 236-1313
(317) 231-7433 Fax

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

<i>Customer No.</i>	69781	}	
		}	
<i>Group:</i>	2632	}	
		}	
<i>Confirmation No.:</i>	2692	}	
		}	
<i>Patent No.:</i>	6,208,250	}	
		}	
<i>Invention:</i>	PATIENT POSITION DETECTION APPARATUS FOR A BED	}	<u>ELECTRONICALLY FILED ON:</u>
		}	<u>MARCH 22, 2011</u>
		}	
<i>Issue Date:</i>	March 27, 2001	}	
		}	
<i>Inventor:</i>	Stephen A. Dixon et al.	}	
		}	
<i>Attorney Docket:</i>	7175-61512	}	
		}	
<i>Examiner:</i>	Phung Nguyen	}	

REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323

Certificate of Correction Branch

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Patentee requests that Letters Patent No. 6,208,250 be corrected as noted on the attached Certificate of Correction. We are correcting typographical errors to claims 38, 62, and 63. In the original claims filed on March 5, 1999, claim 38 included the recitation “configured to received the output signal.” This recitation includes a grammatical error and should read “configured to receive the output signal.”

In the amendment filed on October 2, 2000, the claims 62 and 63 were filed as new claims 82 and 83 respectively. Each claim, as filed, included the recitation “detection system includes controller coupled.” This recitation includes a grammatical error and should read “detection system includes a controller coupled.”

It is submitted that each of these errors are mistakes of minor character that do not constitute new matter nor require reexamination. Therefore, the assignee requests that a Certificate of Correction of U.S. Pat. No. 6,208,250 be issued to correct the errors. The fee of \$100 for the Certificate of Correction required under 37 C.F.R. §1.20(a) is submitted herewith. The Commissioner is hereby authorized to charge any additional fees which may be required to Deposit Account 10-0435, with reference to Attorney Docket 7175-61512.

Respectfully submitted,

BARNES & THORNBURG LLP

/SMS/

Scott M. Simmonds
Registration No. 55620

Indianapolis, Indiana
(317) 231-7403

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 6,208,250

APPLICATION NO.: 09/264,174

ISSUE DATE : March 27, 2001

INVENTOR(S) : Dixon et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below.

In claim 38, at col. 20, line 59, please replace "received" with --receive--.

In claim 62, at col. 23, line 20, please insert --a-- between "includes" and "controller."

In claim 63, at col. 24, line 2, please insert --a-- between "includes" and "controller."

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Scott M. Simmonds

Barnes & Thornburg LLP

11 South Meridian Street

Indianapolis, IN 46204

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.